



磁编码器配套磁铁

产品型号: EK6025CT

侧面图:



正面图:



NOTES :

- 1、MATERIAL -- NEODYMIUM IRON--BORON NEO 35H
MACNETIC PROPERTIES :
BR = 11,800 -- 12,200 GAUSS
Hc = 10,800 -- 11,500 OERSTEDS
Hci = \geq 17,000 OERSTEDS
BHmax = 33 -- 36 MGOe

- 2、IMA STANDARDS APPLY
UNLESS OTHERWISE SPECIFIED.

3、FULLY MAGNETIZED THRU DIA.

4、PLATE : Ni--Cu --Ni
.0002--.001 INCH THICK
ALL DIMENSIONS ARE AFTER PLATING.

ACCEPTANCE CLASS A-- 5 -- V

MATERIAL WEIGHT .0012 LBS

5、SALT SPRAY TESTING REQUIRED
12 HOURS MINIMUM

CUSTOMER :	
TOLERANCE UNLESS INDICATED	
DIMENSIONS ARE IN MILLIMETERS	
BRACKETS DENOTE INCHES	
THOUSANDTHS	+/- .127 (.005)
HUNDREDTHS	+/- .51 (.02)
ANGLES	+/- 0.5
SPC CLASS	
TITE :	
MAGNET	



磁铁照片



上海易科通讯设备有限公司

上海公司

地址：上海浦东外高桥保税区奥纳路79号交能国际大厦610室

电话： 086-21- 51699288

传真： 086-21- 51156175

网 站： <http://www.ekeic.com>