



磁编码器配套磁铁

产品型号: **EK35SH10025**

侧面图:



正面图:



NOTES :

1、 MATERIAL --NEODYMIUM IRON--BORON NEO 35SH

MACNETIC PROPERTIES :

BR = 11,800 -- 12,200 GAUSS

Hc = 10,800 -- 11,500 OERSTEDS

Hci = \geq 17,000 OERSTEDS

BHmax = 33 -- 36 MGOe

Surface magnetism: 4500 Gauss

2、 Working temperature: - 50°C -- 125 °C

3、 IMA STANDARDS APPLY

UNLESS OTHERWISE SPECIFIED.

易科公司

www.ekeic.com

4、FULLY MAGNETIZED THRU DIA, Radial magnetization.

5、PLATE : Ni--Cu --Ni
.0002--.001 INCH THICK
ALL DIMENSIONS ARE AFTER PLATING.

ACCEPTANCE CLASS A-- 5 -- V


MATERIAL WEIGHT .0012 LBS

6、SALT SPRAY TESTING REQUIRED
12 HOURS MINIMUM

CUSTOMER :	
TOLERANCE UNLESS INDICATED	
DIMENSIONS ARE IN MILLIMETERS	
BRACKETS DENOTE INCHES	
THOUSANDTHS	+/- .127 (.005)
HUNDREDTHS	+/- .51 (.02)
ANGLES	+/- 0.5
SPC CLASS	
TITE :	
MAGNET	



磁铁照片



上海易科通讯设备有限公司

上海：上海市外高桥自贸区奥纳路79号交能国际大厦610室
咨询电话： 021-51699288
邓小姐： 186-168-22886
FAE*QQ： 1254653085

厦门：
厦门市海沧区海沧大道泰地海西中心4号楼2916室
电话： 0592-6084869

深圳：
深圳市罗湖区金湖道路银龙花园101
邓先生： 130-888-11686

易科官网：www.ekeic.com